



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/755,863

01/05/2001

Marise Chan

60001.0005US01/254627.01

3683

27488

7590

01/23/2009

MERCHANT & GOULD (MICROSOFT)

P.O. BOX 2903

MINNEAPOLIS, MN 55402-0903

EXAMINER

VAUGHN, GREGORY J

ART UNIT

PAPER NUMBER

2178

MAIL DATE

DELIVERY MODE

01/23/2009

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
09755863 60001.0005US01/254627.01	1/5/2001	CHAN ET AL.	

MERCHANT & GOULD (MICROSOFT)  
P.O. BOX 2903  
MINNEAPOLIS, MN 55402-0903

**EXAMINER**

GREGORY J.. VAUGHN

ART UNIT	PAPER
2178	161

DATE MAILED:

**Please find below and/or attached an Office communication concerning this application or proceeding.**

**Commissioner for Patents**

On 12/31/2008, the Board of Patent Appeal and Interferences ordered this application to be returned to the examiner because of defects in the examiner answer. In particular, the "Evidence Relied Upon" section quotes non-patent literature pages that are missing from the electronic record. However, the examiner answer is incorrect, in that the page numbers listed are erroneous. The correct information is:

"Word Perfect V6.1 User's Guide" published by Novell Inc., 1994, page 160.  
"Corel Draw" published by Corel Corporation, 1992, pages 23 and 25.

The above noted corrections to the examiner answer are provided to correct the deficiencies noted in the 12/31/2008 order.

/Stephen S. Hong/  
Supervisory Patent Examiner, Art Unit 2178